Monterey County Health Department Environmental Health Division Emergency Response Incident Report Proposition 65 Notification

MCHD 21 _039 CO0023094

Incident Date: 05/4/ 2021				In	Incident Time: 11 PM				
Incident Type:	☐ Hazardous Material ☐ Suspected Bioterrorist Threat ☐ Clandestine Drug Lab				Sewage Restaurant Fire Other: electrical fire				
Time Notified: 5:50 AM, 5/5/2021					Time Completed: 8:22 AM				
Location: Hwy 101 at Elm St				(City: Greenfield, CA				
Hazardous Material: Diesel fuel spill				(Quantity: 80-100 gallons				
Physical Properties: fuel					Physical / Health Hazards: fuel				
Land Use: highw	Direct/Constructed Cor Found: N/A			nnections Entered S Waters: N				orm Drain System/Receiving	
Environment Affected: Unknown					Weather / Temperature: n/a			ner / Temperature: n/a	
Type of Container: N/A									
First Responder / Agency on Scene: Fire, CHP, CalTrans									
Incident Commander: Officer J. Smith Age				Agen	ency / Telephone: 805-458-6103				
Other Responding Personnel / Agencies / Telephone:									
Henry Jones California Towi 831-970-0663	Officer Van Ness Fish & Wildlife 9094869811								
Source Investigation Conducted? Yes					Source Identified? Yes				
Responsible Party Information:	Freon In	KJ (name of person) Freon Inc. 224-830-5794							
Vehicle Information:			O.E.S. Control: 21-23-8		3-89	3-89 NRC #:		NRC #:	
Other Notifications:									
RWQCB Air Distric		ct	t MRWPCA		☐ DFG			□NOAA	
☐ Cal-EMA	☐ FED EPA		□DHS			☐ Health Officer		Officer	City of Monterey

Narrative:

I was called by dispatch at 5:50AM on 5/5/2021 to call CHP regarding a fuel spill on Hwy 101 and Elm in Greenfield, CA. Officer J. Smith, CHP, was onsite and reported that a transport trailer from Freon Inc., released 80-100 gallons of diesel in a single vehicle accident and was in the process of clean-up. The accident occurred 11PM the previous night and resulted in a vehicle fire and the driver was transported to the hospital. Officer Smith requested Health for assistance and site clearance.

I arrived at the site at 7:30AM and met with Henry Jones from California Towing. Mr. Jones was supervising removal of the debris. I could see that the transport trailer hit a metal guard rail then a concrete pillar below an overpass and expelled the vehicle contents along the highway. The vehicle then caught fire and, according to Officer Smith, 12,000 gallons of water and 1,000 gallons of foam were used to extinguish the fire. The vehicle had two 100 gallon tanks. One tank was not damaged and the fuel was recovered. The other tank was damaged and the contents spilled and or burned off. I could smell diesel and see foam on the ground and ponding water. Debris was still being removed and could not get safe access to the spill area. Mr. Jones noted that access for remediation may take several hours due to debris removal. There is a culvert adjacent and north of the spill site but it looked obstructed and the area around the culvert, while green, looked dry.

A representative of Freon Inc., Daniel Bartel, entered the site approximately 8:15AM. He referred me to KJ at 224-830-5794.

The incident was referred to Hazmat Inspector, Robert Fernandez. Environmental Health will follow-up with responsible party for site clean-up. I left the site at 8:30AM.

Incident Status:										
☐ Mitigated No Further Action										
☐ Referred to other Agency or Department for follow-up: N/A Contact information: Action taken:										
Form Completed By: Maria Ferdin	<u>5/5/2021</u> Date									

MCHD 21 - 039

CO 23094

FOR LOCAL AGENCY USE ONLY
I HEREBY CERTIFY THAT I AM A DESIGNATED GOVERNMENT EMPLOYEE AND
THAT I HAVE REPORTED THIS INFORMATION TO LOCAL OFFICIALS PURSUANT
TO SECTION 25180.7 OF THE HEALTH AND SAFETY CODE.

Randy McMurray, R. E. H. S.

5/5/21

Date

Hazardous Materials Management Services, Supervisor

ACTIVITY LOG										
Date	Activity	Specialist	Start	Stop	Total					
5/5/21	Emergency Response	Maria Ferdin	5:50AM	8:30AM	2H 40 min					
5/5/21	Report Writing	Maria Ferdin	9:45AM	10:30AM	90 min					
	Invoice Sent to Responsible Party			4hr 10min						
				4111 10111111						

MCHD 21 -039

CO 23094

MCHD 21-039

Governor's Office Emergency Services
Hazardous Materials Spill Report

DATE: 05/05/2021 RECEIVED BY: CONTROL#:

TIME: 0807 Cal OES - 21-2389

NRC -

1.a. PERSON NOTIFYING Cal OES:

1. NAME: 2. AGENCY: 3. PHONE#: 4. Ext: 5. PAG/CELL:

Monterey Co Health Dept.

1.b. PERSON REPORTING SPILL (If different from above):

1. NAME: 2. AGENCY: 3. PHONE#: 4. Ext: 5. PAG/CELL:

2. SUBSTANCE TYPE:

2. a. b.QTY:>=<Amount Measure c. TYPE: d. OTHER: e. PIPELINE f. VESSEL >= 300 Tons

1. Diesel = 100 Gal(s) PETROLEUM No No No No No

2. = No No No No No No No

g. DESCRIPTION: RP states that due to a vehicle accident involving a tractor trailer and

subsequent fire, there was a release of approximately 100 gallons of diesel fuel from a saddle tank. The release went onto the road and into a dry culvert. No

additional waterways or storm drains have been impacted.

h. i. WATER j. WATERWAY: k. DRINKING WATER

STOPPAGE/CONTAINMENT:INVOLVED: IMPACTED

Stopped, Contained Yes Dry Culvert No

I. KNOWN IMPACT None

3. a. INCIDENT LOCATION: Hwy 101 x Elm Ave

b. CITY: c. COUNTY: d. ZIP:

Greenfield Monterey County MONTEREY BAY UNIFIED

APCD

4. INCIDENT DESCRIPTION:

a. DATE: b. TIME (Military): c. SITE: d. REPORTED CAUSE

05/04/2021 2300 Road Unknown

e. INJURIES f. FATALITY g. EVACUATION h. CLEANUP BY:

No Yes Responsible Party

Evacs #: 1

6. NOTIFICATION INFORMATION:

a. ON SCENE: b. OTHER ON SCENE: c. OTHER NOTIFIED:

Cal Trans, CHP, Co Health, Fire

Dept.

d. ADMIN. AGENCY: Monterey County Health e. SEC. AGENCY:

Department

f. ADDITIONAL COUNTY: g. ADMIN. AGENCY:

h. NOTIFICATION LIST:

i. Cal GEM: j. RWQCB Unit:

k. Cal OES Region:

AA/CUPA, DTSC, RWQCB, US EPA, USFWS, DFG-OSPR, CHP, LANDS, PARKS & REC, Co/WP, Co/Hlth, Co/E-Hlth, Co/E-Hlth

Photo Attachment:

11. Cal OES Reg. ******* Control No: 21-2389 *******

CO0023094

Created by: Warning Center on: 05/05/2021 08:07:41 AM Last Modified by: Warning Center on: 05/05/2021 08:18:29 AM