

MONTEREY COUNTY

PUBLIC WORKS, FACILITIES & PARKS

Randell Ishii, MS, PE, TE, PTOE, Director

1441 Schilling Place, South 2nd Floor
Salinas, California 93901-4527



(831) 755-4800
www.co.monterey.ca.us

Park Rules and Policies: Inflatable Structures

- A. Inflatable structures (Bounce Houses) may not exceed fifteen feet by fifteen feet (15 ft x 15 ft) in size.
- B. Inflatable structure will not include any feature designed to use golf balls or other projectiles (exception: basketball hoops that are part of the inflatable structure).
- C. Only one (1) Inflatable is allowed per reserved area. Applicant may not use other areas or open spaces it has not reserved, regardless if it is occupied or not.
- D. Applicant shall supply all necessary power sources for inflatable. Only "whisper" generators are permitted. All generators must meet the County's Park sound level limits of County Ordinance No. 2753. Noise levels shall not exceed 50 dBa at 50 feet utilizing an "A" weighted network.
- E. Applicant must maintain supervision of the Inflatable at all times.
- F. Applicant must be present at the Park for any delivery and pickup of the inflatable.
- G. Inflatable/Jump house permits are nonrefundable.

MONTEREY COUNTY

PUBLIC WORKS, FACILITIES & PARKS

Randell Ishii, MS, PE, TE, PTOE, Director

1441 Schilling Place, South 2nd Floor
Salinas, California 93901-4527



(831) 755-4800
www.co.monterey.ca.us

Reglas y Polizas: Estructuras Inflables

- A. Las Estructuras Inflables (Brincolines) no pueden exceder quince pies por quince pies (15 pies x 15 pies) de tamaño.
- B. La Estructura Inflable no incluirá ninguna característica diseñada para usar pelotas de golf u otros proyectiles (excepción: aros de baloncesto que son parte de la estructura inflable).
- C. Solo se permite un (1) inflable por área reservada. El solicitante no puede usar otras áreas o espacios abiertos que no haya reservado, Aunque está ocupado o no.
- D. El solicitante proporcionará todas las fuentes de energía necesarias para el inflable. Solo se permite generadores "silenciosos". Todos los generadores deben cumplir con el límite de sonido de acuerdo a los niveles del Condado del Parque de la Ordenanza del Condado No. 2753. El nivel de ruido no debe exceder 50 dBa a 50 pies utilizando un red ponderada "A".
- E. El solicitante debe mantener supervisión del Inflable en todo momento.
- F. El solicitante debe de estar presente en el parque para entregar y recoger el inflable.
- G. Los permisos de casa inflables/de salto no son reembolables.