



**U.S. Department of Housing and Urban
Development**
451 Seventh Street, SW
Washington, DC 20410
www.hud.gov
espanol.hud.gov

**Environmental Review for Activity/Project that is
Categorically Excluded Subject to Section 58.5
Pursuant to 24 CFR 58.35(a)**

Project Information

Project Name: NCRPD---Crane-St-Playground-and-Rec-Center-Heater

HEROS Number: 900000010155082

Responsible Entity (RE): MONTEREY COUNTY, CA, 1441 Schilling Place - North
Salinas CA, 93901

State / Local Identifier:

RE Preparer: Darby Marshall

Certifying Office Erik Lundquist
r:

Grant Recipient (if different than Responsible Entity):

Point of Contact:

Consultant (if applicable):

Point of Contact:

Project Location: 11261 Crane St, Castroville, CA 95012

Additional Location Information:

Castroville is a small unincorporated community in north Monterey County. The Recreation Center and Crane St. Playground are both located in the community.

Direct Comments to:

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Description of the Proposed Project [24 CFR 50.12 & 58.32; 40 CFR 1508.25]:

The North Monterey County Recreation and Park District will use CDBG funds to replace a non-operational heating system at the District Recreation Center (11261 Crane St., Castroville, CA 95012); and, remove and replace the existing sprinkler system and play structure and install solar powered lights to a District playground (11771 Crane St., Castroville, CA 95012).

Maps, photographs, and other documentation of project location and description:

Level of Environmental Review Determination:

Categorically Excluded per 24 CFR 58.35(a), and subject to laws and authorities at 58.5:

Determination:

	This categorically excluded activity/project converts to EXEMPT per Section 58.34(a)(12), because it does not require any mitigation for compliance with any listed statutes or authorities, nor requires any formal permit or license; Funds may be committed and drawn down after certification of this part for this (now) EXEMPT project; OR
✓	This categorically excluded activity/project cannot convert to Exempt status because one or more statutes or authorities listed at Section 58.5 requires formal consultation or mitigation. Complete consultation/mitigation protocol requirements, publish NOI/RROF and obtain "Authority to Use Grant Funds" (HUD 7015.16) per Section 58.70 and 58.71 before committing or drawing down any funds; OR
	This project is not categorically excluded OR, if originally categorically excluded, is now subject to a full Environmental Assessment according to Part 58 Subpart E due to extraordinary circumstances (Section 58.35(c)).

Approval Documents:

**7015.15 certified by Certifying Officer
on:**

**7015.16 certified by Authorizing Officer
on:**

Funding Information

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Grant / Project Identification Number	HUD Program	Program Name
B-20-UC-06-0011	Community Planning and Development (CPD)	Community Development Block Grants (CDBG) (Entitlement)

Estimated Total HUD Funded, Assisted or Insured Amount: \$70,000.00

Estimated Total Project Cost: \$80,000.00

Compliance with 24 CFR §50.4, §58.5 and §58.6 Laws and Authorities

Compliance Factors: Statutes, Executive Orders, and Regulations listed at 24 CFR §50.4, §58.5, and §58.6	Are formal compliance steps or mitigation required?	Compliance determination (See Appendix A for source determinations)
STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR §50.4 & § 58.6		
Airport Hazards Clear Zones and Accident Potential Zones; 24 CFR Part 51 Subpart D	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The project site is not within 15,000 feet of a military airport or 2,500 feet of a civilian airport. The project is in compliance with Airport Hazards requirements.
Coastal Barrier Resources Act Coastal Barrier Resources Act, as amended by the Coastal Barrier Improvement Act of 1990 [16 USC 3501]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project is located in a state that does not contain CBRS units. Therefore, this project is in compliance with the Coastal Barrier Resources Act.
Flood Insurance Flood Disaster Protection Act of 1973 and National Flood Insurance Reform Act of 1994 [42 USC 4001-4128 and 42 USC 5154a]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description the project includes no activities that would require further evaluation under this section. The project does not require flood insurance or is excepted from flood insurance. While flood insurance may not be mandatory in this instance, HUD recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). The project is in

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

		compliance with Flood Insurance requirements.
STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR §50.4 & § 58.5		
<p>Air Quality Clean Air Act, as amended, particularly section 176(c) & (d); 40 CFR Parts 6, 51, 93</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>Based on the project description, this project includes no activities that would require further evaluation under the Clean Air Act. The project is in compliance with the Clean Air Act. Additionally, based on information contain on the EPA Green Book website (https://www.epa.gov/green-book/green-book-data-download) accessed October 8, 2020, Monterey County is not identified as either a Maintenance or Nonattainment Area for any covered pollutant.</p>
<p>Coastal Zone Management Act Coastal Zone Management Act, sections 307(c) & (d)</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>This project is not located in or does not affect a Coastal Zone as defined in the state Coastal Management Plan. The project is in compliance with the Coastal Zone Management Act. The existing play structure does not appear to be in the Coastal Zone as shown in the attachment. The irrigation system that will be replaced runs around the perimeter of the play structure. The proximity of the project to the Coastal Zone could trigger a Coastal Development Permit, if not for Section 30610.d. of the California Coastal Act, which exempts this type of project from obtaining a Coastal Development Permit. Specifically, this section reads: Repair or maintenance activities that do not result in an addition to, or enlargement or expansion of, the object of those repair or maintenance activities; provided, however, that if the commission determines that certain extraordinary methods of repair and maintenance involve a risk of substantial adverse environmental impact, it shall, by regulation, require that a permit be obtained pursuant to</p>

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

		this chapter. Since the proposed project is proposed as an in-kind replacement the project would not require a Coastal Development Permit even if a portion of the irrigation system is within the Coastal Zone.
Contamination and Toxic Substances 24 CFR 50.3(i) & 58.5(i)(2)]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Site contamination was evaluated as follows: None of the above. On-site or nearby toxic, hazardous, or radioactive substances that could affect the health and safety of project occupants or conflict with the intended use of the property were not found. The project is in compliance with contamination and toxic substances requirements.
Endangered Species Act Endangered Species Act of 1973, particularly section 7; 50 CFR Part 402	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project will have No Effect on listed species due to the nature of the activities involved in the project. This project is in compliance with the Endangered Species Act. Due to the already developed nature of the Crane St. Park and Recreation Center and the surrounding land uses, this project will not have any impact on listed species.
Explosive and Flammable Hazards Above-Ground Tanks)[24 CFR Part 51 Subpart C	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description the project includes no activities that would require further evaluation under this section. The project is in compliance with explosive and flammable hazard requirements. Monterey County staff also conducted a field survey on October 9, 2020, and did not identify any above ground tanks which could pose explosive or fire hazardous to either project site.
Farmlands Protection Farmland Protection Policy Act of 1981, particularly sections 1504(b) and 1541; 7 CFR Part 658	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project does not include any activities that could potentially convert agricultural land to a non-agricultural use. The project is in compliance with the Farmland Protection Policy Act. This project consists of 2 distinct elements and both elements are on sites that have irreversibly converted to non-agricultural uses. The first

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

		<p>element involves replacing an existing play structure and irrigation system at a park with new equipment. The replacement will not increase the size of the park nor will it intensify the use of the park in any way that might negatively impact the adjacent farm land. The second element involves the replacement of a non-functional heating system housed within the North County Recreation and Park District's Recreation Center. The Rec. Center is located in on an already developed site and will not convert or effect any farmland.</p>
<p>Floodplain Management Executive Order 11988, particularly section 2(a); 24 CFR Part 55</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>This project is located in a 100-year floodplain. The 5-Step Process is applicable per 55.12(a)(1-4). With the 5-Step Process the project will be in compliance with Executive Order 11988.</p>
<p>Historic Preservation National Historic Preservation Act of 1966, particularly sections 106 and 110; 36 CFR Part 800</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>Based on Section 106 consultation there are No Historic Properties Affected because there are no historic properties present. The project is in compliance with Section 106.</p>
<p>Noise Abatement and Control Noise Control Act of 1972, as amended by the Quiet Communities Act of 1978; 24 CFR Part 51 Subpart B</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>Based on the project description, this project includes no activities that would require further evaluation under HUD's noise regulation. The project is in compliance with HUD's Noise regulation.</p>
<p>Sole Source Aquifers Safe Drinking Water Act of 1974, as amended, particularly section 1424(e); 40 CFR Part 149</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>The project is not located on a sole source aquifer area. The project is in compliance with Sole Source Aquifer requirements. The closest Sole Source Aquifer area is Santa Margarita, in Scotts Valley, approximately 24 miles to the northwest of Castroville.</p>
<p>Wetlands Protection Executive Order 11990, particularly sections 2 and 5</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>The project will not impact on- or off-site wetlands. The project is in compliance with Executive Order 11990.</p>
<p>Wild and Scenic Rivers Act Wild and Scenic Rivers Act of 1968, particularly section 7(b) and (c)</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>This project is not within proximity of a NWSRS river. The project is in</p>

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

		compliance with the Wild and Scenic Rivers Act.
HUD HOUSING ENVIRONMENTAL STANDARDS		
ENVIRONMENTAL JUSTICE		
Environmental Justice Executive Order 12898	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	No adverse environmental impacts were identified in the project's total environmental review. The project is in compliance with Executive Order 12898.

Mitigation Measures and Conditions [40 CFR 1505.2(c)]:

Summarized below are all mitigation measures adopted by the Responsible Entity to reduce, avoid or eliminate adverse environmental impacts and to avoid non-compliance or non-conformance with the above-listed authorities and factors. These measures/conditions must be incorporated into project contracts, development agreements and other relevant documents. The staff responsible for implementing and monitoring mitigation measures should be clearly identified in the mitigation plan.

Law, Authority, or Factor	Mitigation Measure or Condition	Comments on Completed Measures	Mitigation Plan	Complete
Floodplain Management	The Five-Step Process does not apply because this project falls under the exceptions listed at 24 CFR 55.12(c)(3). This project is entirely on property dedicated to use as park land and will not result in new structures. The paved surface area of the existing park walkway will not be increased and the existing open space and play area will continue to have permeable surfaces.	N/A	Plan check review to verify that the size of existing walkways will not be increased.	

Project Mitigation Plan

The Subrecipient will be required to submit building plans to the County for review prior to being granted permission to replace the existing light poles. As part of this review, the County will verify that the Subrecipient is not going construct new, or increase the size of, walkways around the play area.

Supporting documentation on completed measures

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

APPENDIX A: Related Federal Laws and Authorities

Airport Hazards

General policy	Legislation	Regulation
It is HUD's policy to apply standards to prevent incompatible development around civil airports and military airfields.		24 CFR Part 51 Subpart D

1. To ensure compatible land use development, you must determine your site's proximity to civil and military airports. Is your project within 15,000 feet of a military airport or 2,500 feet of a civilian airport?

No

Based on the response, the review is in compliance with this section. Document and upload the map showing that the site is not within the applicable distances to a military or civilian airport below

Yes

Screen Summary

Compliance Determination

The project site is not within 15,000 feet of a military airport or 2,500 feet of a civilian airport. The project is in compliance with Airport Hazards requirements.

Supporting documentation

[Airport Hazards.pdf](#)

Are formal compliance steps or mitigation required?

Yes

No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Coastal Barrier Resources

General requirements	Legislation	Regulation
HUD financial assistance may not be used for most activities in units of the Coastal Barrier Resources System (CBRS). See 16 USC 3504 for limitations on federal expenditures affecting the CBRS.	Coastal Barrier Resources Act (CBRA) of 1982, as amended by the Coastal Barrier Improvement Act of 1990 (16 USC 3501)	

This project is located in a state that does not contain CBRA units. Therefore, this project is in compliance with the Coastal Barrier Resources Act.

Screen Summary

Compliance Determination

This project is located in a state that does not contain CBRS units. Therefore, this project is in compliance with the Coastal Barrier Resources Act.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Flood Insurance

General requirements	Legislation	Regulation
Certain types of federal financial assistance may not be used in floodplains unless the community participates in National Flood Insurance Program and flood insurance is both obtained and maintained.	Flood Disaster Protection Act of 1973 as amended (42 USC 4001-4128)	24 CFR 50.4(b)(1) and 24 CFR 58.6(a) and (b); 24 CFR 55.1(b).

1. Does this project involve financial assistance for construction, rehabilitation, or acquisition of a mobile home, building, or insurable personal property?

- ✓ No. This project does not require flood insurance or is excepted from flood insurance.

Based on the response, the review is in compliance with this section.

Yes

4. While flood insurance is not mandatory for this project, HUD strongly recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). Will flood insurance be required as a mitigation measure or condition?

Yes

No

Screen Summary

Compliance Determination

Based on the project description the project includes no activities that would require further evaluation under this section. The project does not require flood insurance or is excepted from flood insurance. While flood insurance may not be mandatory in this instance, HUD recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). The project is in compliance with Flood Insurance requirements.

Supporting documentation

Are formal compliance steps or mitigation required?

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Yes

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Air Quality

General requirements	Legislation	Regulation
The Clean Air Act is administered by the U.S. Environmental Protection Agency (EPA), which sets national standards on ambient pollutants. In addition, the Clean Air Act is administered by States, which must develop State Implementation Plans (SIPs) to regulate their state air quality. Projects funded by HUD must demonstrate that they conform to the appropriate SIP.	Clean Air Act (42 USC 7401 et seq.) as amended particularly Section 176(c) and (d) (42 USC 7506(c) and (d))	40 CFR Parts 6, 51 and 93

1. Does your project include new construction or conversion of land use facilitating the development of public, commercial, or industrial facilities OR five or more dwelling units?

Yes

No

Based on the response, the review is in compliance with this section.

Screen Summary

Compliance Determination

Based on the project description, this project includes no activities that would require further evaluation under the Clean Air Act. The project is in compliance with the Clean Air Act. Additionally, based on information contain on the EPA Green Book website (<https://www.epa.gov/green-book/green-book-data-download>) accessed October 8, 2020, Monterey County is not identified as either a Maintenance or Nonattainment Area for any covered pollutant.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Coastal Zone Management Act

General requirements	Legislation	Regulation
Federal assistance to applicant agencies for activities affecting any coastal use or resource is granted only when such activities are consistent with federally approved State Coastal Zone Management Act Plans.	Coastal Zone Management Act (16 USC 1451-1464), particularly section 307(c) and (d) (16 USC 1456(c) and (d))	15 CFR Part 930

1. Is the project located in, or does it affect, a Coastal Zone as defined in your state Coastal Management Plan?

Yes

✓ No

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

Screen Summary

Compliance Determination

This project is not located in or does not affect a Coastal Zone as defined in the state Coastal Management Plan. The project is in compliance with the Coastal Zone Management Act. The existing play structure does not appear to be in the Coastal Zone as shown in the attachment. The irrigation system that will be replaced runs around the perimeter of the play structure. The proximity of the project to the Coastal Zone could trigger a Coastal Development Permit, if not for Section 30610.d. of the California Coastal Act, which exempts this type of project from obtaining a Coastal Development Permit. Specifically, this section reads: Repair or maintenance activities that do not result in an addition to, or enlargement or expansion of, the object of those repair or maintenance activities; provided, however, that if the commission determines that certain extraordinary methods of repair and maintenance involve a risk of substantial adverse environmental impact, it shall, by regulation, require that a permit be obtained pursuant to this chapter. Since the proposed project is proposed as an in-kind replacement the project would not require

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

a Coastal Development Permit even if a portion of the irrigation system is within the Coastal Zone.

Supporting documentation

[1978 California Coastal Commission Repair Maintenance Permit Exclusions.pdf](#)
[NCRPD 2020 Location Narrative.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Contamination and Toxic Substances

General requirements	Legislation	Regulations
It is HUD policy that all properties that are being proposed for use in HUD programs be free of hazardous materials, contamination, toxic chemicals and gases, and radioactive substances, where a hazard could affect the health and safety of the occupants or conflict with the intended utilization of the property.		24 CFR 58.5(i)(2) 24 CFR 50.3(i)

1. How was site contamination evaluated? Select all that apply. Document and upload documentation and reports and evaluation explanation of site contamination below.

American Society for Testing and Materials (ASTM) Phase I Environmental Site Assessment (ESA)

ASTM Phase II ESA

Remediation or clean-up plan

ASTM Vapor Encroachment Screening

None of the Above

2. Were any on-site or nearby toxic, hazardous, or radioactive substances found that could affect the health and safety of project occupants or conflict with the intended use of the property? (Were any recognized environmental conditions or RECs identified in a Phase I ESA and confirmed in a Phase II ESA?)

No

Yes

Screen Summary

Compliance Determination

Site contamination was evaluated as follows: None of the above. On-site or nearby toxic, hazardous, or radioactive substances that could affect the health and safety of project occupants or conflict with the intended use of the property were not found. The project is in compliance with contamination and toxic substances requirements.

Supporting documentation

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

[EPA Enforcement and Compliance History Online -
Data Download ECHO 10 20 2020 5f8f76fa36abe.xlsx](#)

[EPA - NEPAssist Map.png](#)

[EPA My Environment Map.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Endangered Species

General requirements	ESA Legislation	Regulations
Section 7 of the Endangered Species Act (ESA) mandates that federal agencies ensure that actions that they authorize, fund, or carry out shall not jeopardize the continued existence of federally listed plants and animals or result in the adverse modification or destruction of designated critical habitat. Where their actions may affect resources protected by the ESA, agencies must consult with the Fish and Wildlife Service and/or the National Marine Fisheries Service ("FWS" and "NMFS" or "the Services").	The Endangered Species Act of 1973 (16 U.S.C. 1531 <i>et seq.</i>); particularly section 7 (16 USC 1536).	50 CFR Part 402

1. Does the project involve any activities that have the potential to affect species or habitats?

- ✓ No, the project will have No Effect due to the nature of the activities involved in the project.

This selection is only appropriate if none of the activities involved in the project have potential to affect species or habitats. Examples of actions without potential to affect listed species may include: purchasing existing buildings, completing interior renovations to existing buildings, and replacing exterior paint or siding on existing buildings.

Based on the response, the review is in compliance with this section.

No, the project will have No Effect based on a letter of understanding, memorandum of agreement, programmatic agreement, or checklist provided by local HUD office

Yes, the activities involved in the project have the potential to affect species and/or habitats.

Screen Summary

Compliance Determination

This project will have No Effect on listed species due to the nature of the activities involved in the project. This project is in compliance with the Endangered Species Act.

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Due to the already developed nature of the Crane St. Park and Recreation Center and the surrounding land uses, this project will not have any impact on listed species.

Supporting documentation

[Endangered Species Narrative.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Explosive and Flammable Hazards

General requirements	Legislation	Regulation
HUD-assisted projects must meet Acceptable Separation Distance (ASD) requirements to protect them from explosive and flammable hazards.	N/A	24 CFR Part 51 Subpart C

1. Is the proposed HUD-assisted project itself the development of a hazardous facility (a facility that mainly stores, handles or processes flammable or combustible chemicals such as bulk fuel storage facilities and refineries)?

No

Yes

2. Does this project include any of the following activities: development, construction, rehabilitation that will increase residential densities, or conversion?

No

Based on the response, the review is in compliance with this section.

Yes

Screen Summary

Compliance Determination

Based on the project description the project includes no activities that would require further evaluation under this section. The project is in compliance with explosive and flammable hazard requirements. Monterey County staff also conducted a field survey on October 9, 2020, and did not identify any above ground tanks which could pose explosive or fire hazardous to either project site.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Farmlands Protection

General requirements	Legislation	Regulation
The Farmland Protection Policy Act (FPPA) discourages federal activities that would convert farmland to nonagricultural purposes.	Farmland Protection Policy Act of 1981 (7 U.S.C. 4201 et seq.)	7 CFR Part 658

1. Does your project include any activities, including new construction, acquisition of undeveloped land or conversion, that could convert agricultural land to a non-agricultural use?

Yes

No

If your project includes new construction, acquisition of undeveloped land or conversion, explain how you determined that agricultural land would not be converted:

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

Screen Summary

Compliance Determination

This project does not include any activities that could potentially convert agricultural land to a non-agricultural use. The project is in compliance with the Farmland Protection Policy Act. This project consists of 2 distinct elements and both elements are on sites that have irreversibly converted to non-agricultural uses. The first element involves replacing an existing play structure and irrigation system at a park with new equipment. The replacement will not increase the size of the park nor will it intensify the use of the park in any way that might negatively impact the adjacent farm land. The second element involves the replacement of a non-functional heating system housed within the North County Recreation and Park District's Recreation Center. The Rec. Center is located in on an already developed site and will not convert or effect any farmland.

Supporting documentation

[Farmland Protection Narrative.pdf](#)

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Are formal compliance steps or mitigation required?

Yes

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Floodplain Management

General Requirements	Legislation	Regulation
Executive Order 11988, Floodplain Management, requires federal activities to avoid impacts to floodplains and to avoid direct and indirect support of floodplain development to the extent practicable.	Executive Order 11988	24 CFR 55

1. Do any of the following exemptions apply? Select the applicable citation? [only one selection possible]

- 55.12(c)(3)
- 55.12(c)(4)
- 55.12(c)(5)
- 55.12(c)(6)
- 55.12(c)(7)
- 55.12(c)(8)
- 55.12(c)(9)
- 55.12(c)(10)
- 55.12(c)(11)
- None of the above

2. Upload a FEMA/FIRM map showing the site here:

[Firmette.pdf](#)

The Federal Emergency Management Agency (FEMA) designates floodplains. The FEMA Map Service Center provides this information in the form of FEMA Flood Insurance Rate Maps (FIRMs). For projects in areas not mapped by FEMA, use **the best available information** to determine floodplain information. Include documentation, including a discussion of why this is the best available information for the site.

Does your project occur in a floodplain?

- No
- Yes

Select the applicable floodplain using the FEMA map or the best available

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

information:

Floodway

Coastal High Hazard Area (V Zone)

✓ 100-year floodplain (A Zone)

500-year floodplain (B Zone or shaded X Zone)

8-Step Process

Does the 8-Step Process apply? Select one of the following options:

8-Step Process applies

✓ **5-Step Process** is applicable per 55.12(a)(1-4). Provide documentation of 5-Step Process.

Document and upload the completed 5-Step Process below.
Select the applicable citation: [only one can be selected]

55.12(a)(1)

55.12(a)(2)

55.12(a)(3)

✓ 55.12(a)(4)

8-Step Process is inapplicable per 55.12(b)(1-5).

Mitigation

For the project to be brought into compliance with this section, all adverse impacts must be mitigated. Explain in detail the exact measures that must be implemented to

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

mitigate for the impact or effect, including the timeline for implementation. This information will be automatically included in the Mitigation summary for the environmental review. If negative effects cannot be mitigated, cancel the project using the button at the bottom of this screen.

The Five-Step Process does not apply because this project falls under the exceptions listed at 24 CFR 55.12(c)(3). This project is entirely on property dedicated to use as park land and will not result in new structures. The paved surface area of the existing park walkway will not be increased and the existing open space and play area will continue to have permeable surfaces.

Which of the following mitigation/minimization measures have been identified for this project in the 8-Step or 5-Step Process? Select all that apply.

Permeable surfaces

Natural landscape enhancements that maintain or restore natural hydrology

Planting or restoring native plant species

Bioswales

Evapotranspiration

Stormwater capture and reuse

Green or vegetative roofs with drainage provisions

Natural Resources Conservation Service conservation easements or similar easements

Floodproofing of structures

Elevating structures including freeboarding above the required base flood elevations

Other

Screen Summary

Compliance Determination

This project is located in a 100-year floodplain. The 5-Step Process is applicable per 55.12(a)(1-4). With the 5-Step Process the project will be in compliance with Executive Order 11988.

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Historic Preservation

General requirements	Legislation	Regulation
Regulations under Section 106 of the National Historic Preservation Act (NHPA) require a consultative process to identify historic properties, assess project impacts on them, and avoid, minimize, or mitigate adverse effects	Section 106 of the National Historic Preservation Act (16 U.S.C. 470f)	36 CFR 800 "Protection of Historic Properties" https://www.govinfo.gov/content/pkg/CFR-2012-title36-vol3/pdf/CFR-2012-title36-vol3-part800.pdf

Threshold

Is Section 106 review required for your project?

No, because the project consists solely of activities listed as exempt in a Programmatic Agreement (PA). (See the PA Database to find applicable PAs.)

No, because the project consists solely of activities included in a No Potential to Cause Effects memo or other determination [36 CFR 800.3(a)(1)].

- ✓ Yes, because the project includes activities with potential to cause effects (direct or indirect).

Step 1 – Initiate Consultation

Select all consulting parties below (check all that apply):

- ✓ State Historic Preservation Officer (SHPO) Completed

- ✓ Indian Tribes, including Tribal Historic Preservation Officers (THPOs) or Native Hawaiian Organizations (NHOs)

- ✓ Amah Mutsun Tribal Band

Response Period Elapsed

01/12/2022 17:30

Page 27 of 38

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

- ✓ Costanoan Rumsen Carmel Tribe Response Period Elapsed
- ✓ Esselen Tribe of Monterey County Response Period Elapsed
- ✓ Indian Canyon Mutsun Band of
Costanoan Response Period Elapsed
- ✓ Ohlone/Costanoan-Esselen Nation Response Period Elapsed

Other Consulting Parties

Describe the process of selecting consulting parties and initiating consultation here:

The When to Consult with Tribes checklist included in CDP 12-006 was completed to determine if tribal consultations were required.

Document and upload all correspondence, notices and notes (including comments and objections received below).

Was the Section 106 Lender Delegation Memo used for Section 106 consultation?

- Yes
- No

Step 2 – Identify and Evaluate Historic Properties

1. Define the Area of Potential Effect (APE), either by entering the address(es) or uploading a map depicting the APE below:

- Location 1: Recreation Center at 11261 Crane St., Castroville, CA
- Location 2: Crane St. Playground at 11771 Crane St., Castroville, CA

In the chart below, list historic properties identified and evaluated in the APE. Every historic property that may be affected by the project should be included in the chart.

Upload the documentation (survey forms, Register nominations, concurrence(s) and/or objection(s), notes, and photos) that justify your National Register Status determination below.

Address / Location / District	National Register Status	SHPO Concurrence	Sensitive Information
-------------------------------	--------------------------	------------------	-----------------------

Additional Notes:

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

2. Was a survey of historic buildings and/or archeological sites done as part of the project?

Yes

No

Step 3 –Assess Effects of the Project on Historic Properties

Only properties that are listed on or eligible for the National Register of Historic Places receive further consideration under Section 106. Assess the effect(s) of the project by applying the Criteria of Adverse Effect. (36CFR 800.5) Consider direct and indirect effects as applicable as per guidance on direct and indirect effects.

Choose one of the findings below - No Historic Properties Affected, No Adverse Effect, or Adverse Effect; and seek concurrence from consulting parties.

No Historic Properties Affected

Based on the response, the review is in compliance with this section. Document and upload concurrence(s) or objection(s) below.

Document reason for finding:

No historic properties present.

Historic properties present, but project will have no effect upon them.

No Adverse Effect

Adverse Effect

Screen Summary

Compliance Determination

Based on Section 106 consultation there are No Historic Properties Affected because there are no historic properties present. The project is in compliance with Section 106.

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Supporting documentation

[HUD 2020 11 13](#)

[001MontereyCoCastroville11261CraneStNorthCountyRecreationalCenterHeatingSystem
Improvements 20 11 20.pdf](#)

[HUD 2020 11 13 002 MontereyCoCastroville11771CraneStCraneStParkImprovements
20 11 20.pdf](#)

[2020-11-12 - Native American Consultation Letters.pdf](#)

[2020-11-3 - SHPO Package.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Noise Abatement and Control

General requirements	Legislation	Regulation
HUD's noise regulations protect residential properties from excessive noise exposure. HUD encourages mitigation as appropriate.	Noise Control Act of 1972 General Services Administration Federal Management Circular 75-2: "Compatible Land Uses at Federal Airfields"	Title 24 CFR 51 Subpart B

1. What activities does your project involve? Check all that apply:

New construction for residential use

Rehabilitation of an existing residential property

A research demonstration project which does not result in new construction or reconstruction

An interstate land sales registration

Any timely emergency assistance under disaster assistance provision or appropriations which are provided to save lives, protect property, protect public health and safety, remove debris and wreckage, or assistance that has the effect of restoring facilities substantially as they existed prior to the disaster

None of the above

Screen Summary

Compliance Determination

Based on the project description, this project includes no activities that would require further evaluation under HUD's noise regulation. The project is in compliance with HUD's Noise regulation.

Supporting documentation

Are formal compliance steps or mitigation required?

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Yes

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Sole Source Aquifers

General requirements	Legislation	Regulation
The Safe Drinking Water Act of 1974 protects drinking water systems which are the sole or principal drinking water source for an area and which, if contaminated, would create a significant hazard to public health.	Safe Drinking Water Act of 1974 (42 U.S.C. 201, 300f et seq., and 21 U.S.C. 349)	40 CFR Part 149

1. Does the project consist solely of acquisition, leasing, or rehabilitation of an existing building(s)?

Yes

No

2. Is the project located on a sole source aquifer (SSA)?

A sole source aquifer is defined as an aquifer that supplies at least 50 percent of the drinking water consumed in the area overlying the aquifer. This includes streamflow source areas, which are upstream areas of losing streams that flow into the recharge area.

< No

Based on the response, the review is in compliance with this section. Document and upload documentation used to make your determination, such as a map of your project (or jurisdiction, if appropriate) in relation to the nearest SSA and its source area, below.

Yes

3. Does your region have a memorandum of understanding (MOU) or other working agreement with Environmental Protection Agency (EPA) for HUD projects impacting a sole source aquifer?

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Yes

No

Screen Summary

Compliance Determination

The project is not located on a sole source aquifer area. The project is in compliance with Sole Source Aquifer requirements. The closest Sole Source Aquifer area is Santa Margarita, in Scotts Valley, approximately 24 miles to the northwest of Castroville.

Supporting documentation

[EPA Sole Source Aquifer Map.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Wetlands Protection

General requirements	Legislation	Regulation
Executive Order 11990 discourages direct or indirect support of new construction impacting wetlands wherever there is a practicable alternative. The Fish and Wildlife Service's National Wetlands Inventory can be used as a primary screening tool, but observed or known wetlands not indicated on NWI maps must also be processed Off-site impacts that result in draining, impounding, or destroying wetlands must also be processed.	Executive Order 11990	24 CFR 55.20 can be used for general guidance regarding the 8 Step Process.

1. Does this project involve new construction as defined in Executive Order 11990, expansion of a building's footprint, or ground disturbance? The term "new construction" shall include draining, dredging, channelizing, filling, diking, impounding, and related activities and any structures or facilities begun or authorized after the effective date of the Order

No

Yes

2. Will the new construction or other ground disturbance impact an on- or off-site wetland? The term "wetlands" means those areas that are inundated by surface or ground water with a frequency sufficient to support, and under normal circumstances does or would support, a prevalence of vegetative or aquatic life that requires saturated or seasonally saturated soil conditions for growth and reproduction. Wetlands generally include swamps, marshes, bogs, and similar areas such as sloughs, potholes, wet meadows, river overflows, mud flats, and natural ponds.

"Wetlands under E.O. 11990 include isolated and non-jurisdictional wetlands."

No, a wetland will not be impacted in terms of E.O. 11990's definition of new construction.

Based on the response, the review is in compliance with this section. Document and upload a map or any other relevant documentation below which explains your determination

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Yes, there is a wetland that be impacted in terms of E.O. 11990's definition of new construction.

Screen Summary

Compliance Determination

The project will not impact on- or off-site wetlands. The project is in compliance with Executive Order 11990.

Supporting documentation

[Wetlands Protection Narrative.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Wild and Scenic Rivers Act

General requirements	Legislation	Regulation
The Wild and Scenic Rivers Act provides federal protection for certain free-flowing, wild, scenic and recreational rivers designated as components or potential components of the National Wild and Scenic Rivers System (NWSRS) from the effects of construction or development.	The Wild and Scenic Rivers Act (16 U.S.C. 1271-1287), particularly section 7(b) and (c) (16 U.S.C. 1278(b) and (c))	36 CFR Part 297

1. Is your project within proximity of a NWSRS river?

No

Yes, the project is in proximity of a Designated Wild and Scenic River or Study Wild and Scenic River.

Yes, the project is in proximity of a Nationwide Rivers Inventory (NRI) River.

Screen Summary

Compliance Determination

This project is not within proximity of a NWSRS river. The project is in compliance with the Wild and Scenic Rivers Act.

Supporting documentation

[Wild and Scenic Rivers.pdf](#)

Are formal compliance steps or mitigation required?

Yes

No

NCRPD---Crane-St-
Playground-and-Rec-
Center-Heater

Castroville, CA

900000010155082

Environmental Justice

General requirements	Legislation	Regulation
Determine if the project creates adverse environmental impacts upon a low-income or minority community. If it does, engage the community in meaningful participation about mitigating the impacts or move the project.	Executive Order 12898	

HUD strongly encourages starting the Environmental Justice analysis only after all other laws and authorities, including Environmental Assessment factors if necessary, have been completed.

1. Were any adverse environmental impacts identified in any other compliance review portion of this project's total environmental review?

Yes

No

Based on the response, the review is in compliance with this section.

Screen Summary

Compliance Determination

No adverse environmental impacts were identified in the project's total environmental review. The project is in compliance with Executive Order 12898.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

No