

MONTEREY COUNTY

HOUSING AND COMMUNITY DEVELOPMENT

Erik V. Lundquist, AICP, Director



HOUSING, PLANNING, BUILDING, ENGINEERING, ENVIRONMENTAL SERVICES

1441 Schilling Place, South 2nd Floor
Salinas, California 93901-4527

(831)755-5025
www.co.monterey.ca.us

PLEASE READ THIS DOCUMENT CAREFULLY

The following conditions shall be considered as a part of Encroachment Permit No. _____.

All permit work shall conform to County of Monterey Department of Public Works standard plans and details and the current Caltrans standard plans and specifications.

A copy of this permit must be kept on the work site at all times and shall be exhibited upon demand by representatives of Public Works, the Fire Department, Police Department, and the California Highway Patrol.

The Permittee shall give not less than forty-eight (48) hours notice of intent to work, exclusive of Saturdays, Sundays and Holidays. Phone (831) 755-5025.

NO PERMIT SHALL BE CONSTRUED AS AUTHORITY TO CLOSE A ROAD

Existing drainage shall be undisturbed or improved.

It is the intent of the Ordinance that the trench within the roadway be opened, backfilled, paved and completed in the same day, or otherwise securely plated properly as project dictates or approved by the Department of Public Works.

Trench Backfill shall consist of:

- (a) Structure Backfill, minimum thickness 22" (R-60, SE-25, RC-95%).
- (b) Class 2 A.B., minimum thickness 6" (R-78, SE-27, RC-95%).
- (c) Type B, A.C., minimum thickness 3" or match existing whichever is greater.

In addition to asphalt paving, on chip seal finish roads, a medium type chip seal shall be required and shall be applied in accordance with Section 37 of the Standard Specifications.

Any work area opened for public use, either temporary or permanent, shall be maintained true and even with the adjacent pavement, and kept dust free.

Surplus materials shall be removed and disposed of and the work site left in a neat and workmanlike manner.

All Encroachment work must be adequately posted, signed, barricaded and lighted by the permittee.

Traffic signs and contractor warning devices shall be in accordance with the "Manual of Warning Signs, Lights and Devices for Use in Performance of Work upon Highways" issued by the state of California, Business and Transportation Agency, Department of Public Works.

Any contractor who plans to construct a trench or excavation five feet (5') or deeper shall first comply with Labor Code 6424, relating to the State Permits. Contact the Department of Industrial Relations, State of California, Tel (510) 794-2521 or visit the website @ www.dir.ca.gov.