


DROUGHT RESISTANT PLANTS FOR MONTEREY COUNTY



MONTEREY COUNTY
PLANNING AND BUILDING INSPECTION DEPARTMENT

NOVEMBER 1998



Introduction

The purpose of this guide is to assist Monterey County residents in selecting landscape plants which are water-conserving, ornamental and low maintenance. The plants listed in this guide include California natives and others from areas of the world with Mediterranean-type climates with long dry periods. Some have very low water needs and, once established, require little or no summer watering. Others require some summer watering after established, and are referred to in this guide as having "moderate" water needs, however all plants in this list are considered to be "drought resistant".

The county has been divided into four plant environment areas (see map): coastal, coastal foothills, inland valleys and inland foothills and columns 15 through 18 in the guide indicate which plants are suitable for each area. These areas are a general guide for plant selection, however many factors can influence a plants suitability for a particular site. Factors to consider when choosing a plant for a specific site are:

Micro-climate: Each individual site has its own micro-climate determined by local topography and includes factors such as sun/shade, temperature, wind and amount of moisture in soil and air.

Soil: acidity or alkalinity, texture, and drainage are important considerations when choosing a plant. Information on soil types and characteristics can be obtained from the USDA Resource Conservation District at the following locations:

Monterey Coast
USDA Resource Conservation Dist.
635 Sanborn Place, Suite 7
Salinas, CA 93901
(408) 424-1036





Gabilan- Santa Lucia
USDA Resource Conservation Dist.
522 North Second St.
King City, CA 93930
(408) 385-5545


Plant features: This guide will assist in selecting plants for various purposes and features, including erosion control, deer resistance, plants that do well at the sea coast, fire resistance, flowering, wind resistance, screening, and landscaping around established oaks.

Key Contributors

Elena Freeman, Landscape Consultant
Steve Early, Planning Graphics Supervisor
Monterey County Planning and Building Inspection Department

PLANT ENVIRONMENTS OF MONTEREY COUNTY

-  COASTAL AREA
-  COASTAL FOOTHILLS
-  INLAND VALLEY
-  INLAND FOOTHILLS



SCALE IN MILES

DROUGHT RESISTANT PLANTS FOR MONTEREY COUNTY

LARGE TREES

| | Botanical Name | Common Name | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|----|---------------------------------------|----------------------|--------------------|-----------------|-----------|-----------|------------------------|----------------|-----------|----------------------|------------------------|----------------|-----------------|-----------|----------------|-------------------------|------------------------|-----------------------------|-------------------------|----------------------------|----------------------|-----------------|----------------------|---------------------|
| | | | Height at maturity | Speed of Growth | Evergreen | Deciduous | Good for the sea coast | Wind resistant | Flowering | Native to California | Native to Monterey Co. | Deer resistant | Erosion control | Screening | Fire resistant | Landscaping around oaks | Coastal area (see map) | Coastal foothills (see map) | Inland valley (see map) | Inland foothills (see map) | Very low water needs | Low water needs | Moderate water needs | Comments |
| 1 | <i>Aesculus californica</i> | California Buckeye | 40'+ | | | ● | | | ● | ● | ● | | | | | | ● | ● | ● | ● | ● | | | |
| 2 | <i>Agonis flexuosa</i> | Peppermint Tree | 40' | Fast | ● | | ● | ● | | | | | | | | | ● | ● | ● | ● | ● | | | |
| 3 | <i>Ailanthus altissima</i> | Tree of Heaven | to 50' | Fast | | ● | | ● | | | | | | | | | ● | ● | ● | ● | ● | | | |
| 4 | <i>Alnus cordata</i> | Italian Alder | 20-40' | Fast | | ● | | | | | | | | | | | ● | ● | ● | ● | ● | | ● | |
| 5 | <i>Angophora costata</i> | Gum Myrtle | to 40' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | ● | | | |
| 6 | <i>Araucaria araucana</i> | Monkey Puzzle Tree | 70-90' | | ● | | | | ● | | ● | | | | | | ● | ● | ● | ● | ● | | ● | |
| 7 | <i>Arbutus menziesii</i> | Madrone | | | ● | | | | | ● | ● | | | | | | ● | ● | ● | ● | ● | | | |
| 8 | <i>Brachychiton acerifolius</i> | Flame Tree | to 60' | | | ● | | | ● | | | | | | | | ● | ● | ● | ● | ● | | | |
| 9 | <i>Brachychiton populneus</i> | Bottle Tree | to 40' | | ● | | | ● | | | | | | | | | ● | ● | ● | ● | ● | | | |
| 10 | <i>Broussonetia papyrifera</i> | Paper Mulberry | to 50' | | | ● | | | | | | | | | | | ● | ● | ● | ● | ● | | | |
| 11 | <i>Calocedrus decurrens</i> | Incense Cedar | to 80' | | ● | | | ● | | ● | | ● | | | | | ● | ● | ● | ● | ● | | ● | |
| 12 | <i>Casuarina stricta</i> | Beefwood | 20-35' | | ● | | ● | ● | | | | ● | | | | | ● | ● | ● | ● | ● | | ● | |
| 13 | <i>Catalpa speciosa</i> | Western Catalpa | 40-70' | | | ● | | | ● | | | | | | | | ● | ● | ● | ● | ● | | | |
| 14 | <i>Cedrus atlantica</i> | Atlas Cedar | to 60' | Slow | ● | | | | | | ● | | | | | | ● | ● | ● | ● | ● | | ● | |
| 15 | <i>Cedrus deodora</i> | Deodar Cedar | 30-50' | | ● | | | | | | ● | ● | | | | | ● | ● | ● | ● | ● | | ● | |
| 16 | <i>Celtis australis</i> | European Hackberry | 30-40' | | | ● | | ● | | | | ● | | | | | ● | ● | ● | ● | ● | | | |
| 17 | <i>Celtis occidentalis</i> | Common Hackberry | to 50' | | | ● | | ● | | | | | | | | | ● | ● | ● | ● | ● | | | |
| 18 | <i>Ceratonia siliqua</i> | Carob Tree | 20-40' | | ● | | | | | | ● | | ● | ● | | | ● | ● | ● | ● | ● | | | |
| 19 | <i>Chorisia speciosa</i> | Floss Silk Tree | 30-60' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | ● | | | |
| 20 | <i>Ginkgo biloba</i> | Maidenhair Tree | 30-50' | | | ● | | | | | ● | | | | | | ● | ● | ● | ● | ● | | ● | |
| 21 | <i>Gleditsia triacanthos</i> | Honey Locust | 35-50' | | | ● | | | | | | ● | | | | | ● | ● | ● | ● | ● | | | |
| 22 | <i>Grevillea robusta</i> | Silk Oak | 50-60' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | ● | | | |
| 23 | <i>Hoheria populnea</i> | New Zealand Lacebark | 50-60' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | ● | | ● | |
| 24 | <i>Juglans hindsii</i> | Calif. Black Walnut | 30-60' | | | ● | | | | ● | | | | | | | ● | ● | ● | ● | ● | | ● | |
| 25 | <i>Juniperus californica</i> | Calif. Juniper | to 40' | | ● | | | | | | | | | | | | ● | ● | ● | ● | ● | | | |
| 26 | <i>Juniperus occidentalis 'Glauc'</i> | Sierra Juniper | 50-60' | | ● | | | | | | | | | | | | ● | ● | ● | ● | ● | | | |
| 27 | <i>Koelreuteria paniculata</i> | Golden Rain Tree | 20-30' | | | ● | | ● | ● | | | | | | | | ● | ● | ● | ● | ● | | ● | |
| 28 | <i>Lithocarpus densiflora</i> | Tanbark Oak | 40-80' | | ● | | | | ● | ● | ● | | ● | | | | ● | ● | ● | ● | ● | | | |
| 29 | <i>Lyonothamnus floribundus</i> | Catalina Ironwood | 30-60' | | ● | | | | | ● | | | | | | | ● | ● | ● | ● | ● | | | |
| 30 | <i>Maytenus boaria</i> | Mayten Tree | 30-50' | Slow | ● | | | | | | ● | | | | | | ● | ● | ● | ● | ● | | ● | |
| 31 | <i>Morus alba 'Stribling'</i> | White Mulberry | 20-60' | | | ● | | | | | | | | | | | ● | ● | ● | ● | ● | | ● | |
| 32 | <i>Pinus radiata</i> | Monterey Pine | 30-90' | Fast | ● | | ● | | | ● | ● | | | | | | ● | ● | ● | ● | ● | | | |
| 33 | <i>Pistacia chinensis</i> | Chinese Pistache | 30-50' | | | ● | | | | | | | | | | | ● | ● | ● | ● | ● | | | |
| 34 | <i>Pittosporum undulatum</i> | Victorian Box | 30-40' | | ● | | | | | | | | | | | | ● | ● | ● | ● | ● | | ● | |
| 35 | <i>Podocarpus gracillior</i> | Fern Pine | to 60' | | ● | | | | | | | | | | | | ● | ● | ● | ● | ● | | | |
| 36 | <i>Podocarpus macrophyllus</i> | Yew Pine | to 50' | | ● | | | | | | ● | | | | | | ● | ● | ● | ● | ● | | ● | |
| 37 | <i>Populus fremontii</i> | Fremont Cottonwood | 40-60' | Fast | | ● | | | | | | | | | | | ● | ● | ● | ● | ● | | | |
| 38 | <i>Pseudotsuga menziesii</i> | Douglas Fir | 70-250' | | ● | | | | | ● | | ● | | | | | ● | ● | ● | ● | ● | | | |
| 39 | <i>Quercus agrifolia</i> | Coast. Live Oak | 20-70' | | ● | | | | | ● | ● | ● | | ● | | | ● | ● | ● | ● | ● | | | see photo pg. 11 |
| 40 | <i>Quercus ilex</i> | Holly Oak | 40-70' | | ● | | | ● | | | ● | | ● | | | | ● | ● | ● | ● | ● | | | |
| 41 | <i>Quercus kelloggii</i> | Black Oak | 30-50' | | | ● | | | | ● | ● | | | | | | ● | ● | ● | ● | ● | | | |
| 42 | <i>Robinia ambigua 'Idahoensis'</i> | Idaho Locust | to 40' | | | ● | | | ● | | | | | | | | ● | ● | ● | ● | ● | | | |
| 43 | <i>Schinus molle</i> | Calif. Pepper | 25-40' | | ● | | | | | ● | ● | | | | | | ● | ● | ● | ● | ● | | | |
| 44 | <i>Umbellularia californica</i> | Calif. Bay | 75' | | ● | | | | | ● | ● | ● | ● | ● | | | ● | ● | ● | ● | ● | | ● | |

DROUGHT RESISTANT PLANTS FOR MONTEREY COUNTY

SMALL TREES

| | Botanical Name | Common Name | 1 Height at maturity | 2 Speed of Growth | 3 Evergreen | 4 Deciduous | 5 Good for the sea coast | 6 Wind resistant | 7 Flowering | 8 Native to California | 9 Native to Monterey Co. | 10 Deer resistant | 11 Erosion control | 12 Screening | 13 Fire resistant | 14 Landscaping around oaks | 15 Coastal area (see map) | 16 Coastal foothills (see map) | 17 Inland valley (see map) | 18 Inland foothills (see map) | 19 Very low water needs | 20 Low water needs | 21 Moderate water needs | 22 Comments |
|----|---|----------------------------|-------------------------|----------------------|----------------|----------------|-----------------------------|---------------------|----------------|---------------------------|-----------------------------|----------------------|-----------------------|-----------------|----------------------|-------------------------------|------------------------------|-----------------------------------|-------------------------------|----------------------------------|----------------------------|-----------------------|----------------------------|---------------------|
| 1 | <i>Adenostema sparsifolium</i> | Red Shanks | 6-20' | | ● | | | ● | ● | | | | | | | ● | ● | ● | | ● | | | | |
| 2 | <i>Albizia julibrissin</i> | Silk Tree | 10'-40' | Fast | | ● | | ● | | | | | | | | ● | ● | ● | ● | | ● | | | |
| 3 | <i>Arbutus unedo</i> | Strawberry Tree | 8-35' | Slow | ● | | ● | | | | | | | ● | | ● | ● | ● | | | ● | | | |
| 4 | <i>Arctostaphylos manzanita</i> | Common Manzanita | 6-20' | | ● | | | | ● | | | | | | | ● | ● | ● | ● | | ● | | | |
| 5 | <i>Carpinus betulus</i> | European Hornbeam | to 40' | | | ● | | | | | | | | | | ● | ● | ● | ● | | ● | | | |
| 6 | <i>Ceanothus 'Ray Hartman'</i> | NCN | 12-20' | | ● | | | | ● | ● | | | | | | ● | ● | ● | ● | | ● | | | |
| 7 | <i>Ceanothus arboreus</i> | Felt-leaf Ceanothus | 10-25' | Fast | ● | | | | ● | ● | | | | | | ● | ● | ● | ● | ● | | | | |
| 8 | <i>Ceanothus thrysiflorus</i> | Blue Blossom | 6-20' | | ● | | | | ● | ● | | | | | | ● | ● | ● | ● | | ● | | | |
| 9 | <i>Cercidium floridum</i> | Blue Palo Verde | 15-25' | | | ● | | | ● | ● | | | | | | | ● | ● | ● | | ● | | | |
| 10 | <i>Cercis occidentalis</i> | Western Redbud | 10-18' | | | ● | | | ● | | | | | ● | | ● | ● | ● | ● | | ● | | | |
| 11 | <i>Chitalpa tashkentensis</i> | Chitalpa | 20' | fast | | ● | | | | | | | | | | ● | ● | ● | ● | | ● | | | |
| 12 | <i>Comarostaphylis diversifolia</i> | Mountain Mahogany | 6-18' | | ● | | | | ● | | | | | | | ● | ● | ● | ● | ● | | | | |
| 13 | <i>Cotinus coggyria</i> | Smoke Tree | 25' | | | ● | | | ● | | | | | | | | ● | ● | ● | | ● | | | |
| 14 | <i>Crataegus phaenopyrum</i> | Washington Thorn | 25' | | | ● | | | ● | | ● | | | | | ● | ● | ● | ● | | | ● | | |
| 15 | <i>Cupressocyparis leylandii</i> | Leylandii Cypress | 20' | Fast | ● | | ● | | | | | | | | | ● | ● | ● | ● | | | ● | | |
| 16 | <i>Cupressus gowenia</i> | Gowen's Cypress | 15-25' | | ● | | ● | | ● | ● | ● | | | | | ● | | | | | | ● | | |
| 17 | <i>Dracaena draco</i> | Dragon Tree | to 20' | | ● | | | | | | | | | | | ● | | | | | ● | | | |
| 18 | <i>Eleagnus angustifolia</i> | Russian Olive | to 20' | | | ● | ● | ● | | | | | | | | | | | ● | ● | | ● | | |
| 19 | <i>Eriobotrya japonica</i> | Loquat | 15-30' | | ● | | | | | | | | | | | ● | ● | ● | ● | | ● | | | |
| 20 | <i>Geijera parvifolia</i> | Australian Willow | 15-20' | | ● | | | | | | | | | | | ● | ● | ● | | | | ● | | |
| 21 | <i>Hakea laurina</i> | Sea Urchin | to 30' | | ● | | ● | | | | | | | | | ● | ● | ● | | | ● | | | |
| 22 | <i>Ilex altacalarensis 'Wilsonii'</i> | Wilson Holly | 6-20' | | ● | | | ● | | | ● | | | | | ● | ● | ● | ● | | ● | | | |
| 23 | <i>Ilex aquifolium</i> | English Holly | to 40' | Slow | ● | | | | | | ● | | | | | ● | ● | ● | ● | | ● | | | |
| 24 | <i>Lagerstroemia indica</i> | Crape Myrtle | 6-30' | | | ● | | | ● | | | | | | | | | ● | ● | ● | | ● | | |
| 25 | <i>Laurus nobilis</i> | Grecian Laurel | 12-40' | Slow | ● | | | | | | | | ● | | | ● | ● | ● | ● | | ● | | | |
| 26 | <i>Lysiloma thornberi</i> | Feather Bush | 12' | | ● | | | | | | | | | | | ● | ● | ● | | | ● | | | |
| 27 | <i>Malus species</i> | Ornamental Crabapple | 6-30' | | | ● | | | ● | | | | | | | ● | ● | ● | ● | | | ● | | |
| 28 | <i>Melaleuca amillarlis</i> | Drooping Melaleuca | 15-30' | | ● | | | ● | | | ● | | ● | | | ● | ● | ● | ● | | ● | | | |
| 29 | <i>Melaleuca elliptica</i> | NCN | 8-15' | | ● | | | | ● | | ● | | | | | ● | ● | ● | ● | | ● | | | |
| 30 | <i>Melaleuca ericifolia</i> | Heath Melaleuca | 10-25' | | ● | | ● | ● | ● | | ● | | | | | ● | ● | ● | ● | | ● | | | |
| 31 | <i>Melaleuca linariifolia</i> | Flaxleaf Paperbark | to 25' | | ● | | | | ● | | ● | | | | | ● | ● | ● | ● | | ● | | | |
| 32 | <i>Metrosideros excelsus</i> | New Zealand Christmas Tree | to 30' | | ● | | ● | ● | | | | | | | ● | ● | ● | | | | ● | | | |
| 33 | <i>Myrica californica</i> | Pacific Wax Myrtle | 10-30' | | ● | | | | ● | ● | | | ● | | | ● | ● | ● | ● | | ● | | | |
| 34 | <i>Olea europaea</i> | Olive | 10-30' | | ● | | | ● | | | ● | | | | ● | ● | ● | ● | ● | | ● | | | |
| 35 | <i>Parkinsonia aculeata</i> | Jerusalem Thorn | 15-30' | | | ● | | ● | | | | | | | | ● | ● | ● | ● | | ● | | | |
| 36 | <i>Pittosporum crassifolium</i> | Karo Tree | to 25' | | ● | | ● | ● | | | | | | | | ● | ● | ● | ● | | | ● | | |
| 37 | <i>Prunus caroliniana</i> | Carolina Laurel Cherry | 20-40' | | ● | | | | | | | | | | | ● | ● | ● | ● | | ● | | | |
| 38 | <i>Prunus cerasifera 'atropurpurea'</i> | Purple Leaf Plum | 25-30' | | | ● | | | | | | | | | | ● | ● | ● | ● | | ● | | | see photo pg. 11 |
| 39 | <i>Prunus lusitanica</i> | Portugal Laurel | 10-20' | | ● | | | ● | ● | | | | | | | ● | ● | ● | ● | | ● | | | |
| 40 | <i>Sophora japonica</i> | Japanese Pagoda Tree | to 20' | | | ● | | | | | | | | | | ● | ● | ● | ● | | ● | | | |
| 41 | <i>Tristania laurina</i> | Swamp Myrtle | 15' | | ● | | | | ● | | | | | | | ● | ● | | | | | ● | | |
| 42 | <i>Vitex agnus-castus</i> | Chaste Tree | 6-25' | | | ● | | | ● | | | | | | | ● | ● | ● | ● | | ● | | | |
| 43 | <i>Zizyphus jujuba</i> | Chinese Jujube | 20-30' | Slow | ● | | | | | | | | | | | ● | ● | | | | ● | | | |

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22

DROUGHT RESISTANT PLANTS FOR MONTEREY COUNTY

LARGE SHRUBS

| | Botanical Name | Common Name | 1 Height at maturity | 2 Speed of Growth | 3 Evergreen | 4 Deciduous | 5 Good for the sea coast | 6 Wind resistant | 7 Flowering | 8 Native to California | 9 Native to Monterey Co. | 10 Deer resistant | 11 Erosion control | 12 Screening | 13 Fire resistant | 14 Landscaping around oaks | 15 Coastal area (see map) | 16 Coastal foothills (see map) | 17 Inland valley (see map) | 18 Inland foothills (see map) | 19 Very low water needs | 20 Low water needs | 21 Moderate water needs | 22 Comments |
|----|-------------------------------------|-------------------------|-------------------------|----------------------|----------------|----------------|-----------------------------|---------------------|----------------|---------------------------|-----------------------------|----------------------|-----------------------|-----------------|----------------------|-------------------------------|------------------------------|-----------------------------------|-------------------------------|----------------------------------|----------------------------|-----------------------|----------------------------|---------------------|
| 1 | <i>Adenostema fasciculatum</i> | Chamise | to 12' | | ● | | ● | | ● | | | | | ● | | ● | ● | ● | ● | ● | | | | |
| 2 | <i>Alyogyne huegii</i> | Blue Hibiscus | 5-8' | | ● | | | ● | | | | | | | | ● | ● | | | | | ● | | |
| 3 | <i>Arbutus unedo 'compacta'</i> | Strawberry Tree | 5' | | ● | | | | | | | | ● | | | ● | ● | ● | ● | ● | | ● | | |
| 4 | <i>Arctostaphylos densiflora</i> | Vinehill Manzanita | 5-6' | | ● | | | | ● | | | | | | | ● | ● | ● | ● | ● | | | | |
| 5 | <i>Arctostaphylos pajaroensis</i> | Pajaro Manzanita | 3-8' | | ● | | | | ● | ● | | | | | ● | ● | ● | ● | ● | ● | | ● | | |
| 6 | <i>Atriplex lentiformis breweri</i> | Brewer Saltbush | 5-7' | | ● | | ● | | ● | ● | | ● | | | | ● | ● | ● | ● | ● | | | | |
| 7 | <i>Azara microphylla</i> | Boxleaf Azara | 12-18' | | ● | | | | | | | | | | | ● | ● | ● | | | | ● | | Shade |
| 8 | <i>Berberis darwinii</i> | Darwin Barberry | 5-10' | | ● | | ● | ● | | | ● | | | | | ● | ● | ● | ● | ● | | ● | | see photo pg. 11 |
| 9 | <i>Caesalpinia spp.</i> | Bird of Paradise Bush | to 10' | | | ● | | | | | | | | | | | ● | ● | | | | ● | | |
| 10 | <i>Calliandra tweedii</i> | Brazilian Flame Bush | 6-8' | | ● | | | | ● | | | | | | | ● | ● | | | | | ● | | |
| 11 | <i>Callistemon citrinus</i> | Lemon Bottlebrush | 10-25' | Fast | ● | | | ● | ● | | | | ● | | | ● | ● | ● | ● | ● | | ● | | see photo pg. 11 |
| 12 | <i>Callistemon viminalis</i> | Weeping Bottlebrush | 20-30' | Fast | ● | | | ● | ● | | | | | | | ● | ● | ● | ● | ● | | ● | | |
| 13 | <i>Calycanthus occidentalis</i> | Western Spice Bush | 4-12' | | ● | ● | | | ● | ● | | | | | | ● | ● | ● | ● | ● | | ● | | |
| 14 | <i>Carissa grandiflora</i> | Natal Plum | 5-7' | Fast | ● | | ● | ● | ● | | | | ● | ● | | ● | | | | | | ● | | |
| 15 | <i>Catha edulis</i> | Khat | 8-20' | | ● | | ● | ● | | | | | | | | ● | ● | | | | | ● | | |
| 16 | <i>Ceanothus 'Frosty Blue'</i> | NCN | 6-9' | | ● | | | | ● | | | | ● | | | ● | ● | ● | ● | ● | | | | |
| 17 | <i>Ceanothus 'Ray Hartman'</i> | NCN | 12-20' | | ● | | | | ● | | | | ● | | | ● | ● | ● | ● | ● | | | | |
| 18 | <i>Ceanothus impressus</i> | Santa Barbara Ceanothus | 6-9' | | ● | | | ● | ● | ● | | ● | | | | ● | ● | ● | ● | ● | | | | |
| 19 | <i>Ceanothus thryssiflorus</i> | Blue Blossom | 6-21' | | ● | | ● | ● | ● | ● | | ● | ● | | | ● | ● | ● | ● | ● | | | | |
| 20 | <i>Cercis occidentalis</i> | Western Redbud | 10-18' | | | ● | | ● | ● | ● | | | | | ● | ● | ● | ● | ● | ● | | | | |
| 21 | <i>Cercocarpus betuloides</i> | Mountain Mahogany | 5-12' | | ● | | | | | | | | | | ● | ● | ● | ● | ● | ● | | | | |
| 22 | <i>Chaenomeles spp.</i> | Flowering Quince | 3-6' | | | ● | | | ● | | ● | | | | | ● | ● | ● | ● | ● | | ● | | |
| 23 | <i>Chamaelacium uncinatum</i> | Geraldton Waxflower | 6-12' | | ● | | | | ● | | | | | | | ● | ● | ● | ● | ● | | ● | | |
| 24 | <i>Chimonanthus praecox</i> | Wintersweet | 10-15' | | | ● | | | ● | | | | | | | ● | ● | ● | ● | ● | | ● | | |
| 25 | <i>Cistus purpureus</i> | Orchid Spot Rockrose | 2-6' | Fast | ● | | ● | ● | ● | | ● | | | | | ● | ● | ● | ● | ● | | ● | | |
| 26 | <i>Comarostaphylis diversifolia</i> | Summer Holly | 6-8' | | ● | | | | ● | | | | | | ● | ● | ● | ● | ● | ● | | | | |
| 27 | <i>Cotoneaster lacteus</i> | Red Clusterberry | 6-8' | | ● | | ● | ● | | | ● | ● | ● | | | ● | ● | ● | ● | ● | | ● | | |
| 28 | <i>Daphne odorata</i> | Winter Daphne | 4-6' | | ● | | | | ● | | ● | | | | | ● | ● | ● | ● | ● | | | ● | |
| 29 | <i>Dendromecon harfordii</i> | Island Bush Poppy | 10-20' | | ● | | | | ● | ● | ● | | ● | | | ● | ● | ● | ● | ● | | | | |
| 30 | <i>Dodonea viscosa</i> | Hopseed Bush | 10-15' | | ● | | ● | ● | | | ● | | ● | | | ● | ● | ● | ● | ● | | ● | | see photo pg. 11 |
| 31 | <i>Echium fastuosum</i> | Pride of Madeira | 6-10' | | ● | | ● | ● | ● | | | ● | | | | ● | ● | | | | | ● | | |
| 32 | <i>Eleagnus pungens</i> | Silverberry | 6-15' | | ● | | ● | ● | | | | | | | | ● | ● | ● | ● | ● | | ● | | |
| 33 | <i>Escallonia varieties</i> | NCN | 3-25' | | ● | | | ● | ● | | ● | | ● | ● | | ● | ● | ● | ● | ● | | ● | | |
| 34 | <i>Euonymus japonica</i> | Evergreen Euonymus | 8-10' | | ● | | | ● | | | ● | | ● | | | ● | ● | ● | ● | ● | | ● | | |
| 35 | <i>Fallugia paradoxa</i> | Apache plume | 3-8' | | ● | | | | ● | ● | ● | ● | | | | ● | ● | ● | ● | ● | | | | |
| 36 | <i>Feijoa sellowiana</i> | Pineapple guava | 18-25' | | ● | | | | ● | | ● | | ● | | | ● | ● | ● | ● | ● | | ● | | |
| 37 | <i>Forsythia x intermedia</i> | Forsythia | Varies | | | ● | | | | | | | | | | ● | ● | ● | ● | ● | | ● | | |
| 38 | <i>Fremontodendron californicum</i> | Flannel Bush | 6-20' | Fast | ● | | | | ● | ● | ● | ● | ● | | | ● | ● | ● | ● | ● | | | | |
| 39 | <i>Garrya elliptica</i> | Coast Silktassel | to 10' | | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | |
| 40 | <i>Garrya fremontii</i> | Fremont Silktassel | 4-8' | | ● | | | | ● | ● | ● | | | | ● | ● | ● | ● | ● | ● | | ● | | |
| 41 | <i>Grevillea lanigera</i> | Woolly Grevillea | 3-6' | | ● | | | | ● | | ● | | | | | ● | ● | | | | | ● | | |
| 42 | <i>Grevillea rosmarinifolia</i> | Rosemary Grevillea | to 6' | | ● | | | | ● | | ● | | | | | ● | ● | ● | ● | ● | | ● | | |
| 43 | <i>Hakea suaveolens</i> | Sweet Hakea | 10-20' | | ● | | ● | ● | | | ● | | ● | | | ● | ● | ● | ● | ● | | ● | | |
| 44 | <i>Heteromeles arbutifolia</i> | Toyon | 6-25' | | ● | | ● | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | see photo pg. 11 |

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22

DROUGHT RESISTANT PLANTS FOR MONTEREY COUNTY

LARGE SHRUBS

| Botanical Name | Common Name | 1 Height at maturity | 2 Speed of Growth | 3 Evergreen | 4 Deciduous | 5 Good for the sea coast | 6 Wind resistant | 7 Flowering | 8 Native to California | 9 Native to Monterey Co. | 10 Deer resistant | 11 Erosion control | 12 Screening | 13 Fire resistant | 14 Landscaping around oaks | 15 Coastal area (see map) | 16 Coastal foothills (see map) | 17 Inland valley (see map) | 18 Inland foothills (see map) | 19 Very low water needs | 20 Low water needs | 21 Moderate water needs | 22 Comments | |
|--|---------------------------|-------------------------|----------------------|----------------|----------------|-----------------------------|---------------------|----------------|---------------------------|-----------------------------|----------------------|-----------------------|-----------------|----------------------|-------------------------------|------------------------------|-----------------------------------|-------------------------------|----------------------------------|----------------------------|-----------------------|----------------------------|---------------------|--|
| 45 <i>Hibiscus syriacus</i> | Rose of Sharon | 10-12' | | | ● | | | ● | | | | | | | | | | | | | | | | |
| 46 <i>Ilex altacalarensis 'wilsonii'</i> | Wilson Holly | 6-20' | | ● | | | | | | | | ● | | | | | | | | | | ● | | |
| 47 <i>Jasminum humile</i> | Italian Jasmine | 10' | | ● | | | | ● | | | | | | | | | | | | | | ● | | |
| 48 <i>Kerria japonica</i> | Kerria | to 8' | | ● | | | | ● | | | ● | | | | | | | | | | | ● | Shade | |
| 49 <i>Lavatera assurgentifolia</i> | Tree Mallow | to 12' | Fast | ● | | ● | | | ● | | ● | | | | | | | | | | | ● | see photo pg. 11 | |
| 50 <i>Leptospermum laevigatum</i> | Australian Tea Tree | to 20' | | ● | | ● | ● | ● | | | ● | | | | | | | | | | | ● | | |
| 51 <i>Leptospermum scoparium</i> | New Zealand Tea Tree | 2-20' | | ● | | ● | ● | ● | | | ● | | | | | | | | | | | ● | see photo pg. 11 | |
| 52 <i>Leucophyllum frutescens</i> | Texas Ranger | 5-12' | | ● | | | ● | | | | | ● | | | | | | | | | | ● | | |
| 53 <i>Lupinus albifrons</i> | Silver Bush Lupine | 2-6' | | | ● | | | ● | ● | | | | | | ● | | | | | | | ● | | |
| 54 <i>Lupinus arboreus</i> | Yellow Bush Lupine | 5-8' | | | ● | ● | ● | ● | ● | ● | | | | | | | | | | | | ● | | |
| 55 <i>Lupinus chamissonis</i> | Purple Bush Lupine | | | | ● | ● | | | ● | ● | | | | | ● | | | | | | | ● | | |
| 56 <i>Mahonia nervosa</i> | Longleaf Mahonia | 2-6' | | ● | | | | | ● | | | | | | | | | | | | | ● | | |
| 57 <i>Mahonia pinnata</i> | California Grape Holly | 4-5' | | ● | | | | | ● | ● | ● | | | ● | | | | | | | | ● | | |
| 58 <i>Melianthus major</i> | Honeybush | 2-6' | | ● | | | | | | | | | | | | | | | | | | ● | | |
| 59 <i>Myrsine africana</i> | African Boxwood | 3-8' | | ● | | ● | | | | | | | | | | | | | | | | ● | | |
| 60 <i>Myrtus communis cultivars</i> | NCN | 6-15' | | ● | | | | | | | | ● | | | | | | | | | | ● | | |
| 61 <i>Nandina domestica</i> | Heavenly Bamboo | 6-8' | | ● | | ● | ● | | | ● | | ● | | | | | | | | | | ● | see photo pg. 12 | |
| 62 <i>Nerium oleander</i> | Oleander | 8-12' | | ● | | ● | ● | ● | | | ● | | ● | | | | | | | | | ● | | |
| 63 <i>Ochna serrulata</i> | Bird's Eye Bush | 4-8' | Slow | ● | | ● | | ● | | | | | | | | | | | | | | ● | | |
| 64 <i>Osmanthus fragrans</i> | Sweet Olive | to 10' | | ● | | | | ● | | ● | | ● | | | | | | | | | | ● | | |
| 65 <i>Osmanthus heterophyllus</i> | Hollyleaf Osmanthus | 4-8' | | ● | | | | ● | | | | | | | | | | | | | | ● | | |
| 66 <i>Philadelphus mexicanus</i> | Mock Orange | 3-8' | | ● | | | | ● | | | | | | | | | | | | | | ● | | |
| 67 <i>Phormium tenax</i> | New Zealand Flax | to 10' | | ● | | ● | ● | | | | | | | | | | | | | | | ● | | |
| 68 <i>Photinia fraseri</i> | Photinia | to 10' | | ● | | | | | | | | | ● | | | | | | | | | ● | see photo pg. 12 | |
| 69 <i>Pittosporum eugeniodes</i> | Pittosporum | to 40' | | ● | | | | | | | | | ● | ● | | | | | | | | ● | | |
| 70 <i>Pittosporum tenuifolium</i> | Pittosporum | to 40' | | ● | | ● | | | | | | | ● | ● | | | | | | | | ● | | |
| 71 <i>Plumbago auriculata</i> | Cape Plumbago | 6' | | ● | | | | | | | | | | | | | | | | | | ● | | |
| 72 <i>Prostanthera rotundifolia</i> | Mint Bush | 4-10' | | ● | | | | ● | | | | | | | | | | | | | | ● | | |
| 73 <i>Prunus illicifolia</i> | Holly-Leaf Cherry | 6-20' | | ● | | ● | ● | ● | ● | | | ● | | | | | | | | | | ● | | |
| 74 <i>Psidium littorale</i> | Lemon or Strawberry Guava | 8-10' | | ● | | ● | | ● | | | | | | | | | | | | | | ● | | |
| 75 <i>Punica granatum</i> | Pomegranate | 3-10' | | | ● | | | ● | | | | | ● | | | | | | | | | ● | | |
| 76 <i>Pyracantha varieties</i> | Firethorn | 3-25' | | ● | | | ● | | | ● | | ● | ● | | | | | | | | | ● | | |
| 77 <i>Quercus dumosa</i> | California Scrub Oak | 3-10' | | ● | | | | | ● | | | | | | | | | | | | | ● | | |
| 78 <i>Rhamnus alaternus</i> | Italian Buckthorn | 12-20' | Fast | ● | | ● | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| 79 <i>Rhamnus californica</i> | Coffeeberry | 3-15' | | ● | | ● | | | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| 80 <i>Rhus integrifolia</i> | Lemonadeberry | 3-10' | | ● | | ● | | | ● | | | ● | ● | | | | | | | | | ● | | |
| 81 <i>Rhus ovata</i> | Sugar Bush | 2-10' | | ● | | ● | | | ● | | | | ● | | | | | | | | | ● | | |
| 82 <i>Romneya coulteri</i> | Matilija Poppy | 8' | | | ● | | | ● | ● | | | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | | |
| 83 <i>Rosa rugosa</i> | Ramanas Rose | 3-8' | | | ● | ● | ● | ● | | | | ● | | | | | | | | | | ● | | |
| 84 <i>Sambucus spp.</i> | Elderberry | 4-20' | | | ● | | | | ● | | ● | | | | | | | | | | | ● | | |
| 85 <i>Sarcococca ruscifolia</i> | NCN | 4-6' | Slow | ● | | | | ● | | | ● | ● | | | | | | | | | | ● | | |
| 86 <i>Simmondsia californica</i> | Jojoba | 3-6' | | ● | | | | | | | | | | ● | | | | | | | | ● | | |
| 87 <i>Symphoricarpos albus</i> | Snowberry | 2-6' | | | ● | | | | | | ● | ● | | | | | | | | | | ● | | |
| 88 <i>Syzygium paniculatum</i> | Brush Cherry | 30-60' | | ● | | | | | | | | | | | | | | | | | | ● | | |
| 89 <i>Vaccinium ovatum</i> | Evergreen Huckleberry | 2-10' | | | ● | | | | ● | ● | | | | | | | | | | | | ● | | |
| 90 <i>Viburnum odoratissimum</i> | NCN | 10-20' | | ● | | | | | | | ● | | | | | | | | | | | ● | | |
| 91 <i>Viburnum suspensum</i> | Sandankwa Viburnum | 8-10' | | ● | | | | | | | ● | | | | | | | | | | | ● | | |
| 92 <i>Viburnum tinus</i> | Laurustinus | 6-12' | | ● | | | | | | | ● | | | | | | | | | | | ● | | |
| 93 <i>Xylosma congestum</i> | NCN | 8-10' | | ● | | ● | ● | | | | | | ● | ● | | | | | | | | ● | see photo pg. 12 | |
| 94 <i>Yucca aloifolia</i> | Spanish Bayonet | 10' | Slow | ● | | | | | | | ● | | | | | | | | | | | ● | | |
| 95 <i>Yucca whipplei</i> | Our Lord's Candle | 3-14' | | ● | | | | | ● | | | | | | | | | | | | | ● | | |

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22

DROUGHT RESISTANT PLANTS FOR MONTEREY COUNTY

SMALL SHRUBS

| Botanical Name | Common Name | 1 Height at maturity | 2 Speed of Growth | 3 Evergreen | 4 Deciduous | 5 Good for the sea coast | 6 Wind resistant | 7 Flowering | 8 Native to California | 9 Native to Monterey Co. | 10 Deer resistant | 11 Erosion control | 12 Screening | 13 Fire resistant | 14 Landscaping around oaks | 15 Coastal area (see map) | 16 Coastal foothills (see map) | 17 Inland valley (see map) | 18 Inland foothills (see map) | 19 Very low water needs | 20 Low water needs | 21 Moderate water needs | 22 Comments |
|--|------------------------------|-------------------------|----------------------|----------------|----------------|-----------------------------|---------------------|----------------|---------------------------|-----------------------------|----------------------|-----------------------|-----------------|----------------------|-------------------------------|------------------------------|-----------------------------------|-------------------------------|----------------------------------|----------------------------|-----------------------|----------------------------|---------------------|
| 1 <i>Acanthus mollis</i> | Bear's Breech | 2-3' | | ● | | | | | | | | | | | | ● | ● | ● | | | | | |
| 2 <i>Anisodonteia hypomaduram</i> | Cape Mallow | to 6' | | ● | | | | ● | | | | | | | | ● | ● | ● | | | ● | | |
| 3 <i>Arctostaphylos densiflora</i> 'Howard McMinn' | Manzanita | 30" | | ● | | | ● | ● | | | | | | | | ● | ● | ● | ● | | ● | | see photo pg. 12 |
| 4 <i>Buddleia davidii</i> | Butterfly Bush | 4' | | | ● | | | ● | | | ● | | | | | ● | ● | ● | ● | | ● | | |
| 5 <i>Calliandra californica</i> | Baja Fairy Duster | 3' | | ● | | | | ● | | | ● | | | | | ● | ● | ● | | | ● | | |
| 6 <i>Calocephalus brownii</i> | Cushion Bush | 3' | | ● | | ● | | ● | | | | | | | | ● | ● | ● | | | ● | | |
| 7 <i>Carpenteria californica</i> | Bush Anemone | 3-6' | Slow | ● | | | | ● | | | ● | | | | | ● | ● | ● | ● | | ● | | |
| 8 <i>Cassia artemisioides</i> | Feathery Cassia | 3-5' | | ● | | | | ● | | | ● | | | | | ● | ● | ● | | | ● | | |
| 9 <i>Castilleja latifolia</i> | Monterey Paintbrush | 2' | | | | ● | | ● | ● | | | | | | | ● | ● | ● | | | ● | | |
| 10 <i>Ceanothus 'Joyce Coulter'</i> | NCN | 2-5' | | ● | | | ● | ● | ● | | ● | | | | | ● | ● | ● | ● | | ● | | |
| 11 <i>Cerastigmata willmottianum</i> | Chinese Plumbago | 2-4' | | ● | | ● | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 12 <i>Chamaelium uncinatum</i> | Geraldton Waxflower | 6-12' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 13 <i>Cistus villosus 'protratus'</i> | Sageleaf Rockrose | 2' | | ● | | ● | ● | ● | | | ● | ● | | | | ● | ● | ● | ● | | ● | | |
| 14 <i>Convolvulus cneorum</i> | Bush Morning Glory | 2-4' | | ● | | | | ● | | | | | | ● | | ● | ● | ● | ● | | ● | | |
| 15 <i>Coprosma kirkii</i> | Mirror Plant | 2-3' | | ● | | | ● | | | | | | | ● | | ● | ● | ● | | | ● | | |
| 16 <i>Correa alba</i> | Australian Fuchsia | 2-4' | | ● | | ● | | ● | | | | | | | | ● | ● | ● | | | ● | | Summer Flowers |
| 17 <i>Correa pulchra</i> | Australian Fuchsia | 2-4' | | ● | | ● | | ● | | | | | | | | ● | ● | ● | | | ● | | Winter Flowers |
| 18 <i>Cotoneaster microphyllus</i> | Rockspray Cotoneaster | 2-3' | | ● | | | ● | ● | | | ● | ● | | | | ● | ● | ● | ● | | ● | | see photo pg. 12 |
| 19 <i>Diplacus species</i> | Sticky Monkey Flower | 1-4' | | | | | | ● | ● | | | | | | | ● | ● | ● | ● | | ● | | |
| 20 <i>Dorycnium hirsutum</i> | NCN | to 2' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 21 <i>Eriogonum species</i> | Buckwheat | 1-4' | | | | ● | | ● | ● | | ● | | | | ● | ● | ● | ● | | | ● | | |
| 22 <i>Eriophyllum confertiflorum</i> | Golden Yarrow | 1-4' | | | | ● | | ● | ● | | | | | | | ● | ● | ● | ● | | ● | | |
| 23 <i>Eriophyllum staechadifolium</i> | Lizard Tail | 1-4' | | | | ● | | ● | ● | | | | | | | ● | ● | ● | ● | | ● | | |
| 24 <i>Euryops hybrid</i> | Yellow Bush Daisy | 2-5' | | ● | | ● | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 25 <i>Galvesia speciosa</i> | Island Bush Snapdragon | 3-4' | | ● | | | | ● | | | | | | | ● | ● | ● | ● | | | ● | | |
| 26 <i>Gautheria shallon</i> | Salal | | | ● | | ● | | ● | ● | ● | | | | | | ● | ● | ● | ● | | ● | | |
| 27 <i>Halimicistus sahucci</i> | NCN | 2' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 28 <i>Jasminum floridum</i> | Showy Jasmine | 3-4' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 29 <i>Juniperus conferta</i> | Shore Juniper | 1' | | ● | | ● | | | | | | | | | | ● | ● | ● | ● | | ● | | see photo pg. 12 |
| 30 <i>Kniphofia uvaria</i> | Red Hot Poker | 2-6' | | ● | | ● | | ● | | | | | | ● | | ● | ● | ● | ● | | ● | | |
| 31 <i>Lantana montevidensis</i> | NCN | 3-6' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 32 <i>Lavandula dentata</i> | French Lavender | 3' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 33 <i>Leucophyllum frutescens</i> | Texas Ranger | 5-12' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 34 <i>Limonium perzlii</i> | Sea Lavender | 1-2' | | | | ● | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 35 <i>Pyracantha varieties</i> | NCN | 3-25' | | ● | | | | ● | | | ● | | | | ● | ● | ● | ● | ● | | ● | | |
| 36 <i>Raphiolepis indica varieties</i> | India Hawthorn | 2-7' | | ● | | | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 37 <i>Rhamnus crocea</i> | Redberry | 2-3' | | ● | | | | ● | ● | | | | | | ● | ● | ● | ● | | | ● | | |
| 38 <i>Ribes malvaceum</i> | Chaparral Currant | 2' | | | ● | | | ● | | | | | | | ● | ● | ● | ● | ● | | ● | | |
| 39 <i>Ribes sanguineum glutinosum</i> | Pink Flowering Currant | 4-12' | | | ● | | | ● | ● | ● | | | | | | ● | ● | ● | ● | | ● | | |
| 40 <i>Ribes speciosum</i> | Fuchsia Flowering Gooseberry | 3-6' | | ● | | | | ● | ● | | | | | | ● | ● | ● | ● | | | ● | | |
| 41 <i>Ribes viburnifolium</i> | Catalina Currant | 3' | | ● | | ● | | ● | | ● | ● | | | ● | ● | ● | ● | ● | | | ● | | |
| 42 <i>Rosmarinus officinalis</i> | Rosemary | 2-6' | | ● | | ● | ● | ● | | | ● | ● | | | | ● | ● | ● | ● | | ● | | |
| 43 <i>Salvia species</i> | Sage | 1-2' | | ● | ● | ● | | ● | | | ● | | | | ● | ● | ● | ● | ● | | ● | | see photo pg. 12 |
| 44 <i>Santolina chamaecyparissus</i> | Lavender cotton | 1-2' | | ● | | ● | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 45 <i>Sollya heterophylla</i> | Australian Bluebell Creeper | 2-3' | | ● | | ● | | ● | | | ● | | | | | ● | ● | ● | ● | | ● | | |
| 46 <i>Teucrium fruticans</i> | Bush Germander | 4-8' | | ● | | ● | | ● | | | | | | | | ● | ● | ● | ● | | ● | | |
| 47 <i>Trichostema lanatum</i> | Woolly Blue Curis | 3-5' | | ● | | | | ● | ● | ● | | | | | | ● | ● | ● | ● | | ● | | |
| 48 <i>Westringia rosmariniformis</i> | NCN | 3-6' | | ● | | ● | ● | ● | | | ● | | | | | ● | ● | ● | ● | | ● | | see photo pg. 12 |
| 49 <i>Zauschneria californica</i> | California Fuchsia | 1-2' | | ● | ● | ● | ● | ● | | | ● | | | | ● | ● | ● | ● | ● | | ● | | |

DROUGHT RESISTANT PLANTS FOR MONTEREY COUNTY

GROUND COVERS

| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
|----------------|--|---------------------------|--------------------|-----------------|-----------|-----------|------------------------|----------------|-----------|----------------------|------------------------|----------------|-----------------|-----------|----------------|-------------------------|------------------------|-----------------------------|-------------------------|----------------------------|----------------------|-----------------|----------------------|------------------|
| | | | Height at maturity | Speed of Growth | Evergreen | Deciduous | Good for the sea coast | Wind resistant | Flowering | Native to California | Native to Monterey Co. | Deer resistant | Erosion control | Screening | Fire resistant | Landscaping around oaks | Coastal area (see map) | Coastal foothills (see map) | Inland valley (see map) | Inland foothills (see map) | Very low water needs | Low water needs | Moderate water needs | Comments |
| Botanical Name | Common Name | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | <i>Abronia latifolia</i> | Yellow Sand Verbena | 2-8' | | | | • | • | • | • | • | | | | | | • | | | | | | | (Dune) |
| 2 | <i>Abronia umbellata</i> | Pink Sand Verbena | 2-8' | | | | • | • | • | • | • | | | | | | • | | | | | | | (Dune) |
| 3 | <i>Aeonium spathulium</i> | NCN | | | • | | • | | | | | | | | • | | | | | | | | | |
| 4 | <i>Arctostaphylos 'Emerald Carpet'</i> | NCN | 9-14" | | • | | | • | | | | | | | | | | | | | | | | |
| 5 | <i>Arctostaphylos edmundsii</i> | Little Sur Manzanita | 8-12" | | • | | • | • | | • | • | | | | | | | | | | | | | |
| 6 | <i>Arctostaphylos hookeri</i> | Monterey Carpet Manzanita | to 12" | | • | | | • | | • | • | | • | | | | | | | | | | | |
| 7 | <i>Arctostaphylos pumila</i> | Dune Manzanita | 1-2 1/2' | | • | | | • | | • | • | | | | | | | | | | | | | (Dune) |
| 8 | <i>Arctotheca calendula</i> | Capeweed | to 12" | | • | | • | • | | • | • | | | | • | | | | | | | | | |
| 9 | <i>Arctotis hybrids</i> | African Daisy | 12-18" | | • | | • | • | | • | • | | | | | | | | | | | | | |
| 10 | <i>Armeria maritima</i> | Sea Pink/Thrift | 6-8" | | | | • | | • | • | • | | | | • | | | | | | | | | (Dune) |
| 11 | <i>Artemisia caucasia</i> | Silver Spreader | 3-6" | | • | | | | | | | | | | | | | | | | | | | |
| 12 | <i>Artemisia pycnocephala</i> | Sandhill Sage | 1-2' | | | | • | | | • | • | | | | | | | | | | | | | |
| 13 | <i>Asparagus sprengeri</i> | Sprenger Asparagus | 1' | | • | | • | • | | | | • | | | | | | | | | | | | |
| 14 | <i>Atriplex semibaccata</i> | Australian Saltbush | 1' | | • | | • | | | | | | | | | | | | | | | | | |
| 15 | <i>Baccharis pilularis 'Twin Peaks'</i> | Dwarf Coyote Bush | 8"-24" | | • | | • | • | | • | • | | | | | | | | | | | | | |
| 16 | <i>Bergenia crassifolia</i> | Winter Blooming Bergenia | 20" | | • | | | | • | | | | | | • | | | | | | | | | |
| 17 | <i>Camissonia cheiranthifolia</i> | Beach Primrose | | | | | • | | | | | | | | | | | | | | | | | |
| 18 | <i>Ceanothus griseus 'horizontalis'</i> | NCN | 18-30" | | • | | • | | • | • | • | | • | | • | • | • | • | • | • | | | | see photo pg. 13 |
| 19 | <i>Ceratostigmata plumbaginoides</i> | NCN | 6-12" | | | • | | | | | | | | | | | | | | | | | | |
| 20 | <i>Chamaemelum nobile</i> | Chamomile | 3-12" | | • | | | | | | | | | | | | | | | | | | | |
| 21 | <i>Convolvulus mauritanicus</i> | Ground Morning Glory | 1-2' | | • | | • | | • | | | | | | | | | | | | | | | |
| 22 | <i>Coprosma kirkii</i> | NCN | 2-3' | | • | | | | | | | | | | | | | | | | | | | |
| 23 | <i>Coprosma pumila 'Verde Vista'</i> | NCN | to 2 1/2' | | • | | | | | | | | | | | | | | | | | | | |
| 24 | <i>Cotoneaster 'Lowfast'</i> | NCN | 12" | | • | | | | | | | | | | | | | | | | | | | |
| 25 | <i>Cotoneaster buxifolius</i> | Bright Bead Cotoneaster | 1-2' | | • | | | | • | | | | | | | | | | | | | | | |
| 26 | <i>Cotoneaster conspicuus decorus</i> | Necklace Cotoneaster | 4-6" | | • | | | | | | | | | | | | | | | | | | | |
| 27 | <i>Cotoneaster horizontalis</i> | Rock Cotoneaster | 2-3' | | | • | | | | | | | | | | | | | | | | | | |
| 28 | <i>Cotoneaster micropylus</i> | Rockspray Cotoneaster | 2-3' | | • | | | | | | | | | | | | | | | | | | | |
| 29 | <i>Drosanthemum floribundum</i> | Rosea Iceplant | 6" | | • | | • | | • | | | | | | | | | | | | | | | |
| 30 | <i>Dryopteris arguta</i> | Wood Fern | 1-3' | | | | | | | | | • | • | | | | | | | | | | | |
| 31 | <i>Erigeron glaucus</i> | Seaside Daisy | 10-12" | | • | | | | • | • | • | | | | • | | | | | | | | | |
| 32 | <i>Erigeron karvinskianus</i> | Fleabane | 10-12" | | • | | | | • | | | | | | | | | | | | | | | see photo pg. 13 |
| 33 | <i>Erysimum amphilum</i> | Coast Wall Flower | 4-6" | | | | • | | • | | | | | | | | | | | | | | | dune |
| 34 | <i>Fragaria chiloensis</i> | Beach Strawberry | 6-12" | | • | | • | | | | | | | | | | | | | | | | | |
| 35 | <i>Gazania species</i> | NCN | 6" | | • | | | | | | | | | | | | | | | | | | | |
| 36 | <i>Hedera helix</i> | English Ivy | | | • | | | | | | | | | | | | | | | | | | | |
| 37 | <i>Helianthemum nummularium</i> | Sunrose | 6-8" | | • | | • | | • | | | | | | | | | | | | | | | |
| 38 | <i>Hypericum calycinum</i> | St. Johnswort | to 12" | | • | | • | | • | | | • | • | | • | | | | | | | | | invasive |
| 39 | <i>Lantana montevidensis</i> | Lantana | 1 1/2-3' | | • | | | • | | | | • | • | | • | | | | | | | | | |
| 40 | <i>Lotus scoparius</i> | Deerweed | 1 to 4' | | • | | • | | | • | | | | | | | | | | | | | | |
| 41 | <i>Mahonia repens</i> | Creeping Mahonia | to 3' | | • | | • | | • | • | | | • | | | | | | | | | | | |
| 42 | <i>Myoporum parvifolium 'Prostratum'</i> | NCN | 3" | | • | | | | | | | | • | | | | | | | | | | | |
| 43 | <i>Oenothera berlandieri</i> | Mexican Evening Primrose | 10-12" | | | | | | • | | | | | | | | | | | | | | | see photo pg. 13 |
| 44 | <i>Osteospermum fruticosum</i> | Highway Daisy | 6-12" | | • | | • | • | • | | | | | | | | | | | | | | | |

DROUGHT RESISTANT PLANTS SUITABLE FOR
MONTEREY COUNTY



Quercus agrifolia - Coast Live Oak Large Tree # 39



Prunus cerasifera 'atropurpurea' - Purple Leaf Plum Small Tree # 38



Berberis darwinii - Darwin Barberry Large Shrub # 8



Callistemon citrinus - Lemon Bottlebrush Large Shrub # 11



Dodonea viscosa - Hopseed Bush Large Shrub # 30



Leptospermum scoparium - New Zealand Tea Tree Large Shrub # 51



Heteromeles arbutifolia - Toyon Large Shrub # 44




Lavatera assurgentifolia - Tree Mallow Large Shrub # 49

DROUGHT RESISTANT PLANTS SUITABLE FOR
MONTEREY COUNTY




Nandina domestica - Heavenly Bamboo Large Shrub # 61



Photinia fraseri - Photinia Large Shrub # 68



Xylosma congestum - Xylosma Large Shrub # 93



Arctostaphylos densiflora 'Howard McMinn' - Manzanita Sm. Shrub # 3



Cotoneaster microphyllus - Rockspray Cotoneaster Small Shrub # 18



Juniperus species - Juniper Small Shrub # 29



Salvia species - Sage Small Shrub # 43



Westringia rosmariniformis - Westringia Small Shrub # 48

DROUGHT RESISTANT PLANTS SUITABLE FOR
MONTEREY COUNTY



Ceanothus griseus 'horizontalis' - Ceanothus Ground Cover # 18



Erigeron karvinskianus - Fleabane Ground Cover # 32



Oenothera berlandieri - Mexican Evening Primrose Ground Cover # 43



Rosmarinus officinalis 'prostratus' - Creeping Rosemary Ground Cover # 52



Ganzania - NCN Ground Cover # 35



Thymus species - Thyme Ground Cover # 60



Eryslum 'Bowles Mauve' - Wallflower Perennial # 23



Gaura lindheimeri - Gaura Perennial # 27

DROUGHT RESISTANT PLANTS SUITABLE FOR
MONTEREY COUNTY



Helichrysum petiolatum - Strawflower Perennial # 31



Nepeta fassenii - Cat Mint Perennial # 43



Penstemon species - Penstemon Perennial # 47



Tulbaghia violacea - Society Garlic Perennial # 60



Helictotrichon species - Blue Oatgrass Ornamental Grass # 5



Passiflora species - Passion Flower Vine # 14



Bougainvillea species - Bougainvillea Vine # 1



Tecomaria capensis - Cape Honeysuckle Vine # 20